Longking

Machine-drawn sinks

Info@longkingsink.com

Zhongshan city
Longking Kitchenware Co., Ltd

Add: No.32 ,Longping Road, West District, Zhangshan City, Guangdong Frovince, China

Tel:+86(760)22618169 Fax:+86(760)22630059

E-mail: info@longkingsinkcom, Anson@longkingsink.com

ABOUT LONGKING

zhongshan city Longking Kitcheware Co,Ltd

Longking

Machine-drawn sinks

- Lonakina Kitchenware Go.,Ltd, is a leading co mpany in the kitchen and bath industry, based in Zhongshan City, Guangdong Province.China. We speclalize in researching, developing, des igning, manufacturing, and selling stainless steel siniks and accessories. Our fully-equlpped plant covers an area of 28,000 square meters, and ourteam has over 25 years of experience in producing and exportingstainless steel kitchen sinks to various reglons worldwide.including North and South America, Europe,Scutheast Asia, Russia, andtheMiddle East Some of our team members come from renowned kitchen sink enterpr ises.

- Our skllled team members, guided by a spirit of craftsmanshilp,follow strct production quality control systems and a qualty-guaranteed or iented management system.This ensuresthat our products maintain premium quality and stablity.Further more, our diverse product line can cater to the needs ofcusto mers from anywhere in the world

- At Longking , our goal is to com bine practicalty and aesthetics seamlessly,driven by sincerity and a dedikcation to craftsmanship. We strive to provide high-end products to our valued customers , while simulta neously building a strong reputation and offering comprehensive service to make your purchasing experience hassle-free We lookfonward to the opportunity to cooperate with you.

- **we welcome OEM and ODM requests from all over the world.**



Single bowl sink

Delicate, graceful. With uncommon tolerance

LK-TS1515

DIMENSION: 381MM X 381MM
DEPTH:140MM
FEATURES: SOUND-ABSORBING PADS
MOUNTING CLIPS; 89MM/51MM DRAIN OPENING;
1 OR 2 FAUCET HOLES;
WITH OR WITHOUT OVERFLOW
FINISH: SATIN / POLISH

LK-TS1919

DIMENSION:480MM X 480MM
DEPTH:150MM
FEATURES: SOUND-ABSORBING PADS
MOUNTING CLIPS; 89MM/51MM DRAIN OPENING;
1,2 OR 3 FAUCET HOLES;
WITH OR WITHOUT OVERFLOW
FINISH: SATIN / POLISH

LK-TS2120

DIMENSION:508MM X 433MM
DEPTH: 150MM
FEATURES: SOUND-ABSORBING PADS
MOUNTING CLIPS; 89MM/51MM DRAIN OPENING;
1,2 OR 3 FAUCET HOLES;
WITH OR WITHOUT OVERFLOW
FINISH: SATIN / POLISH

LK-TS4446

DIMENSION:440MM X 440MM
DEPTH:300MM
SINGLE BOWL

LK-TS5444

DIMENSION:540MM X 440MM
DEPTH: 300MM
SINGLE BOWL

LK-TS5035

DIMENSION: 500MM X 350MM
DEPTH: 150MM
FEATURES: SOUND ABSORBING PADS
MOUNTING CLIPS: 89MM/51MM DRAIN OPENINGNO
WITH OR WITHOUT OVERFLOW
FINISH: SATIN / POLISH

LK-TS5343

DIMENSION: 530MM X 430MM
DEPTH: 150MM
FEATURES: SOUND-ABSORBING PADS
MOUNTING CLIPS; 89MM/51MM DRAIN OPENING;
1,2 OR 3 FAUCET HOLES;
WITH OR WITHOUT OVERFLOW
FINISH: SATIN / POLISH

LK-TS6040

DIMENSION: 600MM X 400MM
DEPTH: 150MM
FEATURES: SOUND-ABSORBING PADS
MOUNTING CLIPS; 89MM/51MM DRAIN OPENINGNO
WITH OR WITHOUT OVERFLOW
FINISH: SATIN / POLISH

LK-TS6050

OUTSIDE DIMENSION: 600MM X 500MM
DEPTH: 230MM
SINGLE BOWL

LK-TS6248

DIMENSION: 620MM X 480MM
DEPTH:150MM
FEATURES SOUND-ABSORBING PADS
MOUNTING CLIPS; 89MM/51MM DRAIN OPENING
1,2,3 OR 4 FAUCET HOLES
WITH OR WITHOUT OVERFLOW
FINISH: SATIN / POLISH

LK-TS2522

DIMENSION: 640MM X 560
MMDEPTH:150MM/180MM/200MM
FEATURES SOUND-ABSORBING PADS
MOUNTING CLIPS; 89MM/51MM DRAIN OPENING
1,2,3 OR 4 FAUCET HOLES
WITH OR WITHOUT OVERFLOW
FINISH: SATIN / POLISH

LK-TS6256B

DIMENSION:620MM X 560MM
DEPTH: 228MM
SINGLE BOWL

LK-TS6242

DIMENSION: 620MM X 420MM
DEPTH: 203MM
SINGLE BOWL

LK-TS6646

DIMENSION: 660MM X 460MM
DEPTH: 203MM
SINGLE BOWL

LK-TS8050

DIMENSION: 800MM X 500MM
DEPTH: 228MM
SINGLE BOWL

Single bowl sink

LK-R405

DIMENSION:φ420MM
DEPTH:180MM
FEATURES: SOUND -ABSORBING PADSTEMPLATE AND MOUNTING CLIPS; 89MM/51MM DRAIN OPENING
NO FAUCET HOLE;
WITH OR WITHOUTOVERFLOW
FINISH: SATIN / POLISH/ ELECTROLYSIS

LK-R420

DIMENSION:φ 420MM
DEPTH: 180MM
SINGLE BOWL

LK-R440

DIMENSION: φ440MM
DEPTH: 180MM
SINGLE BOWL

LK-R4535

DIMENSION: 450MM X 350MM
DEPTH: 180MM
SINGLE BOWL

LK-R4838

DIMENSION: 480MM X 380MM
DEPTH: 180MM
SINGLE BOWL



Double bowl sink

LK-TD3319

DIMENSION: 840MM X 480MM
DEPTH: 150MM/180MM/200MM
FEATURES: SOUND -ABSORBING PADS
MOUNTING CLIPS; 89MM/51MM DRAIN OPENING
1,2,3 OR 4 FAUCET HOLES
WITH OR WITHOUT OVERFLOW
FINISH: SATIN / POLISH

LK-TD3322

DIMENSION: 840MM X 560MM
DEPTH: 150MM/180MM/200MM
FEATURES: SOUND -ABSORBING PADS
MOUNTING CLIPS; 89MM/ 51MM DRAIN OPENING
1,2,3 OR 4 FAUCET HOLES
WITH OR WITHOUT OVERFLOW
FINISH: SATIN / POLISH

LK-TD11650

OUTSIDE DIMENSION: 115MM X 500MM
DEPTH: 254MM
DOUBLE BOWL

Bowl with drainboard

LK-TSB7848

DIMENSION: 780MM X 480MM
DEPTH: 150MM
FEATURES: SOUND - ABSORBING PADS
MOUNTING CLIPS: 89MM /51 MM DRAIN OPENING
1,2 OR 3 FAUCET HOLES;
WITH OR WITHOUT OVERFLOW
FINISH: SATIN/POLISH

LK-TSB8050

DIMENSION: 800MM X 500MM
DEPTH: 150MM
FEATURES: SOUND - ABSORBING PADS
MOUNTING CLIPS: 89MM / 51 MM DRAIN OPENING
1,2 OR 3 FAUCET HOLES;
WITH OR WITHOUT OVERFLOW
FINISH: SATIN/POLISH

LK-TSB8456

DIMENSION: 840MM X 560MM
DEPTH: 150MM
FEATURES: SOUND - ABSORBING PADS
MOUNTING CLIPS: 89MM /51 MM DRAIN OPENING
1,2 OR 3 FAUCET HOLES;
WITH OR WITHOUT OVERFLOW
FINISH: SATIN/POLISH

LK-TDB12050

DIMENSION: 1200MM X 500MM
DEPTH: 150MM
FEATURES: SOUND ABSORBING PADS
MOUNTING CLIPS: 89MM OR 51 MM DRAIN OPENING
1,2,3 OR 4 FAUCET HOLES;
WITH OR WITHOUT OVERFLOW
FINISH: SATIN/POLISH

LK-TSB8050IC

DIMENSION: 800MM X 500MM
DEPTH: 150MM
FEATURES: SOUND - ABSORBING PADS
MOUNTING CLIPS: 89MM /51 MM DRAIN OPENING
1,2 OR 3 FAUCET HOLES;
WITH OR WITHOUT OVERFLOW
FINISH: SATIN/POLISH

LK-TSB10050I

DIMENSION: 1000MM X 500MM
DEPTH: 150MM
FEATURES: SOUND - ABSORBING PADS
MOUNTING CLIPS: 89MM / 51 MM DRAIN OPENING
1,2 OR 3 FAUCET HOLES;
WITH OR WITHOUT OVERFLOW
FINISH: SATIN/POLISH

LK-TDB12050I

DIMENSION: 1200MM X 500MM
DEPTH: 150MM
FEATURES: SOUND ABSORBING PADS
MOUNTING CLIPS: 89MM OR 51 MM DRAIN OPENING
1,2,3 OR 4 FAUCET HOLES;
WITH OR WITHOUT OVERFLOW
FINISH: SATIN/POLISH

Bowl sink

LK-US1616

DIMENSION: 406 MM X 406MM
MM DEPTH: 203 MM
FEATURES: SOUND -ABSORBING PADS
89MM OR 51 MM DRAIN OPENING
MOUNTING CLIPS AND CUTTING TEMPLATE
FINISH: SATIN/POLISH

LK-US1618

DIMENSION: 419 MM X 470MM
MM DEPTH: 229 MM
FEATURES: SOUND -ABSORBING PADS
89MM OR 51 MM DRAIN OPENING
MOUNTING CLIPS AND CUTTING TEMPLATE
FINISH: SATIN/POLISH

LK-US2318

DIMENSION: 591MM X 445MM
MM DEPTH: 203MM/ 229MM/ 254MM
FEATURES: SOUND -ABSORBING PADS
89MM OR 51 MM DRAIN OPENING
MOUNTING CLIPS AND CUTTING TEMPLATE
FINISH: SATIN/POLISH

LK-US3118

DIMENSION: 800MM X 470MM
MM DEPTH: 229MM/ 254 MM
FEATURES: SOUND -ABSORBING PADS
89MM OR 51 MM DRAIN OPENING
MOUNTING CLIPS AND CUTTING TEMPLATE
FINISH: SATIN/POLISH

LK-UD3218

DIMENSION: 819MM X 470MM
MM DEPTH: 229MM/ 254MM
FEATURES: SOUND -ABSORBING PADS
89MM OR 51 MM DRAIN OPENING
MOUNTING CLIPS AND CUTTING TEMPLATE
FINISH: SATIN/POLISH

LK-ULS3221

DIMENSION: 813MM X 527 MM
MM DEPTH: 229MM/ 178 MM
FEATURES: SOUND -ABSORBING PADS
89MM OR 51 MM DRAIN OPENING
MOUNTING CLIPS AND CUTTING TEMPLATE
FINISH: SATIN/POLISH

LK-UT4721

DIMENSION: 1194MM X 533MM
MM DEPTH: 229MM/130MM/229MM
FEATURES: SOUND -ABSORBING PADS
89MM OR 51 MM DRAIN OPENING
MOUNTING CLIPS AND CUTTING TEMPLATE
FINISH: SATIN/POLISH

Bowl sink

LK-USR1618

OUTSIDE DIMENSION: 410MM X 460MM
DEPTH: 228MM
HANDMADE SINGLE BOWL

LK-USR2318

OUTSIDE DIMENSION: 590MM X 460MM
DEPTH: 228MM
HANDMADE SINGLE BOWL

LK-UDR3117

OUTSIDE DIMENSION: 800MM X 440MM
DEPTH: 228MM
HANDMADE EQUAL BOWL

LK-UDR3118

OUTSIDE DIMENSION: 800MM X 460MM
DEPTH: 228MM
HANDMADE EQUAL BOWL

LK-ULS2418

OUTSIDE DIMENSION: 620MM X 460MM
DEPTH: 228MM / 152MM
HANDMADE OFFSET BOWL

LK-ULS3818

OUTSIDE DIMENSION: 970MM X 460MM
DEPTH: 228MM
HANDMADE OFFSET BOWL

Single bowl sink

LK-W4444

DIMENSION:
440MM X 440MM X 215MM

LK-W5545

DIMENSION:
440MM X 440MM X 225MM

LK-TS5143

DIMENSION:
510MM X 430MM X 220MM

LK-TS6046

DIMENSION:
600MM X 460MM X 220MM

LK-TS5040

DIMENSION:
500MM X 400MM X 200MM

LK-TS6243

DIMENSION:
620MM X 450MM X 220MM

LK-TS7050

DIMENSION:
700MM X 500MM X 210MM

LK-TS6245

DIMENSION:
620MM X 430MM X 220MM

LK-TS7345

DIMENSION:
730MM X 450MM X 220MM

Double bowl sink

Design for elite life

LK-TD7842

DIMENSION:
780 MM X 420 MM X 200MM

LK-TD8150

DIMENSION:
810 MM X 500 MM X 200MM

LK-TD8550

DIMENSION:
850 MM X 500 MM X 200MM

LK-TD10050

DIMENSION:
1000MM X 500MM X 220MM

Single bowl with drainboard

LK-TSB6050

DIMENSION:
650MM X 500MM X 190MM

LK-TSB7540A

DIMENSION:
750MM X 400MM X 160MM

LK-TSB7540B

DIMENSION:
750MM X 400MM X 160MM

LK-TSB8050A

DIMENSION:
800MM X 500MM X 190MM

LK-TSB8050B

DIMENSION:
800MM X 500MM X 190MM

LK-TSB8050D

DIMENSION:
800MM X 500MM X 190MM

Single bowl with drainboard

LK-TSB8050C

DIMENSION:
800MM X 500MM X 190MM

LK-TSB8650

DIMENSION:
860MM X 500MM X 190MM

LK-TSB9050A

DIMENSION:
900MM X 500MM X 160MM

LK-TSB9050B

DIMENSION:
900MM X 500MM X 160MM

LK-TSB9643

DIMENSION:
960MM X 430MM X 160MM

LK-TSB10050

DIMENSION:
1000MM X 500MM X 200MM

LK-TSB10050A

DIMENSION:
1000MM X 500MM X 200MM

LK-TSB10050N

DIMENSION:
1000MM X 500MM X 200MM

Double bowl with drainboard

LK-TDB12050C

DIMENSION:
1200MM X 500MM X 200MM

LK-LSB12050

DIMENSION:
1200MM X 500MM X 200MM

LK-TDB12050A

DIMENSION:
1200MM X 500MM X 200MM

LK-TDB12050N

DIMENSION:
1200MM X 500MM X 200MM

LK-TDT15050

DIMENSION:
1500MM X 500MM X 200MM

LK-TDB17060I

DIMENSION:
1700MM X 600MM X 270MM

Russian sink

LK-R490

DIMENSION:
490MM X 190MM

LK-R510

DIMENSION:
510MM X 190MM

LK-TS5050I

DIMENSION:
500MM X 500MM X 190MM

LK-RB5745

DIMENSION:
570MM X 450MM X 170MM

LK-TSB5848

DIMENSION:
580MM X 480MM X 170MM

LK-TS6050I

DIMENSION:
600MM X 500MM X 190MM

LK-TS6060I

DIMENSION:
600MM X 600MM X 170MM

LK-TSB6349

DIMENSION:
630MM X 490MM X 170MM

LK-TSB6550

DIMENSION:
650MM X 500MM X 170MM

LK-TSB7540

DIMENSION:
750MM X 400MM X 170MM

LK-TSB7645

DIMENSION:
760MM X 450MM X 170MM

LK-TSB7848

DIMENSION:
780MM X 480MM X 170MM

LK-TSB8050IA

DIMENSION:
800MM X 500MM X 170MM

LK-TSB8060I

DIMENSION:
800MM X 600MM X 170MM

LK-TSB8050IB

DIMENSION:
800MM X 500MM X 170MM

Optional accessories packing way series

SD01

SD03

S05

S06

S07

P01

P02

CLIPS